

Document Description of the control of the control

Dipondi Dipond

1000°000 1000°000 1000°000 1000°000 1000°000 1000°000 1000°000 1000°000 1000°000 1000°000 1000°000 1000°000

000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000 000-9000

1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
1000-000
100

Danada Danada Danada Danada

Do-pull

Don-add Don-add Don-add Don-add

1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000 1000-000

THE COLOR OF THE C

The out of the out of

DE AUDI DES AUDI DE AUDI DE AUDI DES AUDI DES AUDI DES AUDI DES AUDI DE AUDI D

AqueenaPro






















ZEPTER MISSION A GLOBAL PHENOMENON

Every **10** seconds a new Zepter presentation starts (approx. **8,640** per day)

5 continents

60⁺ countries

100,000+ consultants & employees

7 factories

320,000+ m² business space

65,000,000+ presentations attendees annually

80,000,000+ satisfied users

760,000,000+ products sold





ZEPTER BRANDS THAT CONQUERED THE WORLD







ZEPTER HOME CARE

2,050,000+

Presentations attendees annually

102,800,000+

products sold

3,200,000+

satisfied users





A HIGHER IDEAL


"We are proud of our products, their outstanding quality, original design and advanced technology.

We enjoy our work and respect our partners.

The protection of your health and beauty is the basic guiding principle in all of our actions."








"If everything on this planet were to burn up, there would still remain water and in it the seed of life."


Seneca, I century AD












- TOTAL WATER QUANTITY ~ 1 400 million km³
 - LAND (rivers, lakes...) ~ 0.53%
 - OCEANS AND SEAS ~ 97.6%
 - GLACIERS, ICEBERGS AND POLAR WATERS ~ 1.92%
 - ATMOSPHERE ~ 0.0001%

OF THE TOTAL WATER ON EARTH,
A MERE 0.03% IS USABLE FOR HUMAN NEEDS



IMPORTANCE OF WATER FOR THE HUMAN ORGANISM

WATER ACCOUNTS FOR UP TO 70% OF THE TOTAL BODY WEIGHT OF AN ADULT:



MUSCLES ~ **70** %

LUNGS AND KIDNEYS ~ 75 %

BONE AND FAT TISSUES ~ 20-30 %

BLOOD ~ 86 %





IMPORTANCE OF WATER FOR THE HUMAN ORGANISM

- SUPPLYING CELLS WITH LIFE ESSENTIAL NUTRIENTS & ENERGY
- FACILITATING BLOOD FLOW, CELLULAR REPRODUCTION, MOVEMENT & LIFE ITSELF
- SUPPORITNG OPTIMAL DIGESTIVE FUNCTION
- SUPPORTING THE EFFICIENT
 TOXINS & WASTE REMOVAL FROM THE BODY

WITHOUT WATER, CELLS CANNOT GROW, REPRODUCE OR SURVIVE & THE ENTIRE ORGANISM DIES.







WE SATISFY THE NEED FOR WATER THROUGH:

• WATER, BEVERAGES

1.2L - 1.5L

FOOD

0.8L - 1L

METABOLIC FLUID

0.2L - 0.4L

AN ADULT NEEDS 2 TO 3 LITRES
OF WATER EACH DAY





WELL-KNOWN SCIENTIFIC FACTS


We can survive without food for 4-9 weeks provided we drink water.



Without water we can live for 3 to 5 days.








8/4/15







"The fate of this planet will depend on water.

I sincerely beg you to understand this."

Jacques-Yves Cousteau





HOW WE TREAT WATER





RIVERS, LAKES, SEAS HAVE BECOME REAL DUMPS FOR INDUSTRIAL WASTE, FAECES, OIL AND ITS DERIVATES, HEAVY METALS AND MANY OTHER TOXIC SUBSTANCES.

MILLIONS OF TONNES OF VARIOUS POLLUTANTS
GET INTO WATER EVERY DAY.



HOW WE TREAT WATER

Numerous poisonous substances resulting from human activities get into water.

Up to now, OVER 800 POLLUTANTS have been identified IN WATER and the number rises daily.



UNLESS WE CHANGE OUR ATTITUDE TOWARDS WATER,
THE SURVIVAL OF LIFE ON EARTH
WILL BE PLACED AT RISK.



WORLD HEALTH ORGANIZATION

has categorized water as one of the 12 basic indicator of a country's health conditions.




SEVERAL THOUSAND PEOPLE DIE EVERY DAY
BECAUSE OF LACK OF WATER OR USE OF
UNCLEAN WATER!





HOW IMPURE WATER AFFECTS HUMAN HEALTH



"Man drinks 90% of his illnesses."

Louis Pasteur







MOST COMMON DRINKING WATER POLLUTANTS

MICROORGANISMS (bacteria, viruses, parasites...)

CONSEQUENCES:

- Typhoid Dysentery Cholera Hepatitis
- Paralysis
 Meningitis
 Diarrhea...











MOST COMMON DRINKING WATER POLLUTANTS

CHEMICAL SUBSTANCES

LEAD

- Brain diseases
- Damage to nervous system
- Anemia
- Hypertension
- Damage to heart
- Digestive disorders

MERCURY

- Damage to heart
- Damage to urinary channels
- Dermatosis
- Eczema
- Hair loss

ARSENIC

- Changes in the central nervous, digestive and respiratory systems
- Skin problems
- Weakness in muscles
- Loss of appetite
- Nausea...







MOST COMMON DRINKING WATER POLLUTANTS

CHEMICAL SUBSTANCES

CADMIUM (carcinogenic)

- Cancer
- Damage to kidneys


PESTICIDES

- Damage to central nervous system
- Damage to liver
- Cancer















TRADITIONAL WAYS OF **GETTING PURE WATER**

BOTTLED WATER



ADVANTAGES

- Should be of better quality than tap water
- Reassuring about the consumer's health
- Available in any shop

SHORTCOMINGS

- Not all bottled water is of good quality
- Water freshness is often debatable
- Problems with: storing, piled up packaging, disposal
- Time spent on frequent shopping trips
- Price difference (nearly 1900 times more expensive than tap water)
- It takes 1000 years to disintegrate big ecological issue









TRADITIONAL WAYS OF GETTING PURE WATER

WATER FILTERS



ADVANTAGES

- Should be of better quality than tap water
- Reassuring about the consumer's health


SHORTCOMINGS

- Problem with choosing the right appliance
- Usually filters are single-staged (particle or coal)
- Filters have limited capacity and time of use
- Filters have to be replaced often (otherwise become the source of new pollution)





TRADITIONAL WAYS OF GETTING PURE WATER



ADVANTAGES

- Microbiological pollutants are destroyed and disease risks reduced
- Simplicity of method

SHORTCOMINGS

- Not all microbiological pollutants are destroyed (some viruses are resistant to the temperature over 100°C)
- Other pollutants are not removed (chemical substances, heavy metals...)
- Water tastes stale
- Waste of money on: energy costs and flavour additives







IS THERE A SOLUTION THAT CAN SOLVE THE PROBLEM **EFFECTIVELY?**









YES!

ZEPTER HAS THE SOLUTION!

Aque ena Pro Aqua pura, vita longa

Documents

Dinoulli Din

Dayan Dayan

Constant Con

Consequent Consequent

Danada Danada Danada Danada

Doe and Doe and Doe and

Dipo and Dip

Care-east to the care of the c

CONTRACTOR OF THE CONTRACTOR O

TOPO GOLD

AqueenaPro






JUST PURIFIED WATER IS HEALTHY WATER









- 370 / of the purest and healthiest water every day
- Low noise 5 stage filtration system
- Integrated RO membrane
- Built in *large water tank -* 9.5 l
- Computer control box automatic optimisation,

water & energy savings

- Filter change alarm
- Leakage sensor





- - Combined solenoid valve flushes the RO membrane automatically and controls waste water flow.
 - Inlet water solenoid valve opens / shuts inlet water pressure in a range between 0.03 and 0.6MPa (4.35 - 87 psi).
 - One-way flow valve prevents water backflow.



AQUEENA PRO – CLASS LEADING SAFETY FEATURES

Hermetically closed inbuilt tank (9.5l)

Offers protection against secondary contamination, while the in-build water tank makes Aqueena Pro a smart space saving water purifier. The 9.5l water tank reduces time needed for the purification process, healthy drinking water being available at any moment.

High pressure pump


The high pressure water pump with combined inlet water solenoid valve, stabilizes the environment for reverse osmosis membrane, delivering up to date class leading efficiency in water purifying.





5 STAGE FILTRATION SYSTEM
The solution for purified,
clean water

Health and safety No compromise!







Aqueena Pro WATER FILTRATION PROCESS




- 1. 5-micron PP filter
- 2. Pellet carbon filter
- 3. 1-micron PP filter

- 4. RO membrane
- 5. Post Activated Carbon Filter (Coconut filter)










5-micron PP filter – the 1st barrier. Stops sediment particles size up to 5 μ. "Larger" particles as rust, sand, and other solid impurities.

Pellet carbon filter – the 2nd barrier adsorbs free chlorine, organic matter, odours, discoloration, and other substances.

ELIMINATION OF ALL MECHANICAL IMPURITIES FROM WATER





WATER FILTRATION PROCESS

1-micron PP filter – the 3^d barrier

REMOVES:

• Stops particles of "smaller" size, such as suspended solids and colloids.


AFTER PASSING THROUGH THE THREE FILTERS,
WATER QUALITY IS GREATLY IMPROVED.
BUT, THIS IS NOT ALL!







REVERSE-OSMOSIS – the 4th and the most powerful barrier



The size of the RO membrane's pores is 100 000 times smaller than the section of one human hair

RO MEMBRANE PORES LET ONLY CLEAN WATER PASS!





WATER FILTRATION PROCESS

REVERSE-OSMOSIS MODULE

the 4th and the most powerful barrier

ELIMINATES:

- Bacteria, viruses
- Nitrates
- Chlorides

- Sulfates
- Heavy metals
- Pesticides

OF ALL THE FILTERS AVAILABLE AND KNOWN TODAY, RO MEMBRANE IS THE MOST POWERFUL ONE!





WATER FILTRATION PROCESS

Post Activated Carbon Filter (Coconut filter) – the final, 5th barrier

- Eliminates eventual gaseous substances left
- Further improves the taste of the purified water

YOU ENJOY HEALTHY AND PURE WATER
WITH PLEASANT AND FRESH TASTE.

JUST AS THE ONE FROM THE MOUNTAIN SPRINGS!





Aqueena Pro EFFECTIVENESS

POLLUTANT	EFFECTIVENESS	POLLUTANT	EFFECTIVENESS
Total Germs (72h@22°C)	>99%	Ammonium	>80%
Total Germs (24h@37°C)	>99%	Arsenic (V) (dissolved)	>99%
Calcium (dissolved)	>98%	Lead (dissolved)	>95%
Magnesium (dissolved)	>86%	Cadmium (dissolved)	>98%
Chloride	>97%	Iron (dissolved)	>96%
Nitrate	>91%	Manganese (dissolved)	>99%
Nitrite	>93%	Mercury (dissolved)	>98%

Tested by authorized Drinking Water Laboratory



AQUEENA PRO DISPLAY FUNCTIONS



Working: Water purification is in the progress, the device is in working mode. The tank is being filled with water.

Water Source: flashing light - missing inlet water source or low inlet water pressure. The "Water source" icon will light up with an audible alarm (7 buzzes).

Filter Status Display

Flush: The RO membrane is automatically flushed for 15 seconds when the device is turned on. When the water tank is full, the RO membrane is automatically flushed for 18 seconds.

Standby: The water purifier is on hold mode and needs only the power of 0.7 Watt.



AQUEENA PRO DISPLAY FUNCTIONS

- **Filter Status Display**
- A sensor detects filter condition and changes the color codes if new filter is needed. The filter status display always shows actual condition of the filters:
- Green light the filter works at its optimum level.
- Orange light the filter will soon need replacing.

 Please contact Zepter Service for maintenance support.
- Red light & an audible alarm (4 buzzes) the filter must be changed immediately.

 Further use of the filter is not recommended.







- **HOUSEHOLDS**
- **BEAUTY SALONS**
- BUSINESS PREMISES: OFFICES, SHOPS, ETC.
- HOTELS, RESTAURANTS AND CAFES
- RECREATION AND REHABILITATION CENTRES
- **CLINICS AND HOSPITALS**
- KINDERGARTENS, SCHOOLS& UNIVERSITIES

AQUEENA PRO IS NECESSARY ABSOLUTELY EVERYWHERE!







- Have healthy purified water whenever you need it
- To save you money and time!

 No more heavy and expensive plastic water bottles
- To protect your health and improve the overall condition and appearance of your body
- To cook healthier, tastier meals
- Become smartest life investment, that will pay off within few months and save you lot of money through the years

DRINK ONLY PURE, HEALTHY WATER - JUST AS NATURE INTENDED IT FOR US!







de la	USE OF WATER	FAMILY OF 4		
Ì		MONTHLY	YEARLY	30 YEARS
	Drinking	47.88	582.54	17,476.20
	Washing & Food Preparation	95.76	1,165.08	34,952.40
	Total	143.64	1,747.62	52,428.60

SAVINGS WITH ZEPTER AQUEENA PRO

IN FIRST YEAR, EVERY MONTH: X = TOTAL MONTHLY - AP INSTALLMENT

EVERY NEXT YEAR: 1,747.62

IN 30 YEARS: 52,428.60





ZEPTER AQUEENA PRO SAVES YOU ENERGY, TIME AND MONEY, **BUT MOST IMPORTANTLY,** IT PROTECTS YOUR HEALTH!



Description of the control of the co

Cho-and Cho-an

Doesol

188888888 77788888888

1000 of 1000 o

1000-000

Danada Danada Danada Danada Danada

Don-and Don-and

1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 | 1000-000 |

The out of the out of

Through the property of the pr

THE OTHER OF THE OTHER O

AqueenaPro





